

CONFINED SPACE ENTRY PERMIT

This is the first page of a 2-page permit. Both pages must be completed by the job supervisor, signed, and posted at the job site, along with a copy of the written procedure for this confined space showing the hazards and control measures.

						Page 1
JOB NAME					JOB NO.	
CONFINED SPACE NAME OR DESIGNATION						
WORK TO BE DONE						
DATE & START TIME				DATE & FINISH TIME		
NAME OF ENTRY SUPERVISOR					PHONE #	
NAMES OF ENTRANTS						
NAMES OF ATTENDANTS						
EMERGENCY PHONE NO.						

SAMPLING INSTRUMENT INFORMATION						
DIRECT READING GAS METER		PUMP AND DETECTOR TUBE			OTHER	
MAKE		MAKE		MAKE		
MODEL		MODEL		MODEL		
LAST CALIBRATED		LAST CALIBRATED		LAST CALIBRATED		

AIR TEST RESULTS PRIOR TO VENTILATING						
	O ₂	L.E.L.	CO	H ₂ S		TESTED BY
TARGET	19.5% - 23.5%	<10%	<35 PPM	<10 PPM		
DATE						
TIME						
RESULT	%	%	PPM	PPM	PPM	

AIR TEST RESULTS AFTER VENTILATING						
	O ₂	L.E.L.	CO	H ₂ S		TESTED BY
TARGET	19.5% - 23.5%	<10%	<35 PPM	<10 PPM		
DATE						
TIME						
RESULT	%	%	PPM	PPM	PPM	

ADDITIONAL AIR TEST RESULTS						
	O ₂	L.E.L.	CO	H ₂ S		TESTED BY
TARGET	19.5% - 23.5%	<10%	<35 PPM	<10 PPM		
DATE						
TIME						
RESULT	%	%	PPM	PPM	PPM	
CLASSIFICATION						
	SAFE ATMOSPHERE			HAZARDOUS ATMOSPHERE		

(Continued on back side)

CONFINED SPACE ENTRY PERMIT

MARK ALL SAFETY EQUIPMENT NEEDED FOR THIS JOB			
	HARD HAT		AIR-PURIFYING RESPIRATOR
	SAFETY GLASSES WITH SIDESHIELDS		AIRLINE RESPIRATOR
	CHEMICAL PROTECTIVE GOGGLES		ESCAPE RESPIRATOR
	FACESHIELD		LOCKOUT/TAGOUT SUPPLIES
	HEARING PROTECTORS		FIRE PROTECTION EQUIPMENT
	COTTON OR LEATHER GLOVES		SPARK RESISTANT TOOLS
	CHEMICAL RESISTANT GLOVES		VOICE COMMUNICATION EQUIPMENT
	COVERALLS		VENTILATION EQUIPMENT
	RAINSUIT		PORTABLE LIGHTING
	CHEMICAL RESISTANT CLOTHING		GROUND FAULT CIRCUIT INTERRUPTER
	SLIP/CHEMICAL RESISTANT BOOTS		WARNING SIGNS AND BARRIERS
	WELDING HELMET/GOGGLES		MECHANICAL RETRIEVAL DEVICE
	FULL BODY HARNESS AND RETRIEVAL LINE		OTHER

ALL ANSWERS MUST BE "NOT APPLICABLE" OR "YES" FOR JOB TO PROCEED	N/A	YES	NO
COPY OF CONFINED SPACE ENTRY PROCEDURE AVAILABLE AT SITE?			
COPY OF LOCKOUT/TAGOUT PROCEDURE AVAILABLE AT SITE?			
APPLICABLE CONTROL MEASURES (INCLUDING LO/TO) ARE IN EFFECT?			
REQUIRED SAFETY EQUIPMENT HAS BEEN PROVIDED AND HAS BEEN CHECKED OVER?			
HAZARDOUS MATERIALS REMOVED AND SPACE CLEANED TO EXTENT POSSIBLE?			
VENTILATION HAS BEEN SET UP AND IS BEING USED EFFECTIVELY?			
ENTRANTS/ATTENDANTS WERE INSTRUCTED ON PHYSICAL/CHEMICAL HAZARDS OF THIS JOB?			
ENTRANTS/ATTENDANTS HAVE REVIEWED MSDS OR EQUIVALENT, IF NEEDED?			
ENTRANTS/ATTENDANTS WERE INSTRUCTED ON SAFE WORK PROCEDURES FOR THIS JOB?			
ENTRANTS/ATTENDANTS WERE INSTRUCTED ON USE OF SAFETY EQUIPMENT, IF NEEDED?			
ENTRANTS/ATTENDANTS HAVE COMPLETED CONFINED SPACE ENTRY TRAINING?			
ENTRANTS/ATTENDANTS WERE INSTRUCTED ON EMERGENCY PROCEDURES?			
ENTRANTS HAVE BEEN TRAINED ON ANY RESPIRATORS THEY MAY HAVE TO USE?			
SPECIAL RESCUE ARRANGEMENTS IF RESCUE LIKELY TO BE DIFFICULT?			
SECURE FOOTING AND/OR FALL PROTECTION PROVIDED?			
AREAS AROUND ACCESS POINTS CORDONED OFF?			
"CONFINED SPACE ENTRY IN PROGRESS" SIGNS POSTED AT ENTRY POINTS?			
PHONE, RADIO, ALARM HORN OR OTHER DEVICE AT HAND TO SUMMON ASSISTANCE?			
OTHER NECESSARY PERMITS OBTAINED?			
RESCUE TEAM CONFIRMED AVAILABLE TO RESPOND IF NEEDED?			

SIGNATURE FOR SAFE ATMOSPHERE ENTRY			
ENTRY SUPERVISOR		DATE	